



COMPANY PROFILE

Company Reg No: 2013/145494/07 - Vat No: 4930283868



Cell: 082 904 3991



schalk@sebawoods.co.za
sales@sebawoods.co.za



www.sebawood.co.za

Gauteng | North West
Limpopo | Mpumalanga

contributor status
Level 4 BBBEE



VENDOR DETAILS FOR SEBA WOODS MINING SUPPLIES

Other means renovation works

(Tiling, paint, woodworks, alum products, blinds, trellis doors ect, mining supplies

<u>NAME OF MINE</u>	<u>VENDOR NO</u>	<u>PRODUCTS SUPPLIED</u>
Murray and Roberts - National	191788	Timber and Other
Northam Booyensdal – 5 shafts	0007000997	Timber and Other
Helena mine, Glencore	312539	Timber and Other
Magareng mine, Glencore	312539	Timber and Other
Thorndcliffe mine, Glencore	312539	Timber and Other
Lion Smelter	GA 312539	Other
Lydenburg smelter	302598	Other
Mototolo mine Borwa, Anglo	Y97928	Timber and Other
Mototolo mine Lebowa, Anglo	Y97928	Other
Anglo group properties	Y97928	Other
Anglo Distribution center, Polokwane	Y97928	Timber and Other
2 Rivers Platinum mine	SEB001	Timber and Other
2 Fontein myn, Samancor ECM	4020033	Timber and Other
Lanex Central + South myn, Samancor ECM	4020033	Other
Doornbosh myn, Samancor ECM	4020033	Timber and Other
ECM Central myn, Samancor ECM	4020033	Timber and Other
Tubatse Chrome smelter, Samancor ECM	4020033	Other
Tubatse Alloy smelter, Samancor ECM	4020033	Other
Modikwa Platinum mine, 3 x Shafts, central and the plant	Y97928	Other
SA ZIJIN Platinum New mine , Nkwe	S35184	Other
Impala, Marula Plat. New vendor in progress	Vendor to be re-submitted	Timber and Other
Cheetah Chrome mine New mine		Timber and Other were supplied when it was Dilokong mine
Der Brochen mine, Anglo New mine in construction and shaft sinking fase.	Y97928	In construction and shaft sinking fase.
Dwarsrivier Chrome mine	43500409	Timber and Other
Chromex Mining Company		Other
Bokoni Platinum mine, Attok, 3 shafts, 1 open cast New mine		Timber were supplied in the past
Twickenham mine	Y97928 Anglo	Timber and Other
Hackney mine	Y97928 Anglo	Mine in care and maintenance

The following mines is smaller mines where we deliver and work on once off vendor basis:

Sefateng,
Buaba Plat,
Phokathaba Plat

The following is mining companies that also make use of us from time to time.

GR Mining + support,

SJ Drilling,

IME,

Minopex,

Preman,

Redpath,

Sandvik,

Umnotho We Siswe,

Ziswe mining,

Bolt + engineering

We are agent in the eastern limp for Saltus mining poles and support to market it.

This is a new exiting product for the future and is the new way to go.

Please get more info at:

www.saltusmining.com



PRODUCTS / SERVICES

MINING TIMBER

- Dunnage
- Pencil Prop
- Square Prop
- Refuge bay door
- Hardwood Wedges
- Explosive Plugs
- Elongates
- Gum Planks
- Charging Sticks
- Packs
- A Grade Sleepers
- B Grade Sleepers
- Hardwood Gum Palette




PRODUCTS / SERVICES

FRICITION ANCHORED ROCK BOLT

The Saltus™ Friction Anchored Rock Bolt offers the following product features:

- ✓ The composite bolt is UV resistant and does not corrode or perish when exposed to water or common chemicals.
- ✓ The composite bolt offers shear properties that provide some shear resistance against rock movement but with a shear resistance low enough to allow the bolt to be cut by mining activity or equipment. If exposed to protrude into excavations, the bolt is easily trimmed flush to the rock surface.
- ✓ As tramp material in extracted ore or waste rock, the composite bolt is designed to crush without producing sharp edges or shards and is less likely to damage or jam conveyor belts, processing plant equipment or vehicle tires.
- ✓ The installation and tensile load performance of the composite bolt is comparable to that offered by standard steel friction bolts.
- ✓ The composite bolt is approximately half the weight of conventional steel friction anchors, allowing easier handling and transport.
- ✓ The composite materials used to manufacture the composite bolt are non-toxic



REFUGE BAY DOORS TRELLIS DOOR AND ROLLER SHUTTERS



PRODUCTS / SERVICES

BLINDS



BALUSTRADES



ALUMINIUM DOORS AND WINDOWS



PRODUCTS / SERVICES

CONSTRUCTION AND RENOVATIONS



MODIKWA DRYWALL



CMO BOARDROOM MOTOTOLO



PLAN ROOM AND WORK
STATIONS BOOYSENSDAL



GANG CARD BOARD MODIKWA



CARPORTS DWARSRIVIER

MOBILE HOMES



GUARD HUTS ANY OTHER
OUTSIDE BUILDINGS
ON REQUEST

**ANY SIZE BUILD
ON SITE**

PRODUCTS / SERVICES

SECURITY ITEMS

ACCESS CONTROL AND FENCING

Try out the brand new 2500kg gate motor



WAITING BENCHES



PRODUCTS / SERVICES

PAINT & COATINGS

SP Wall & Masonry Cement coatings

DURABLE MATT
ECONOMICALLY
CEMENTIOUS
COATING FOR ANY
SUBSTRATE

Concrete
Steel
Wood
PVC



ONE PAINT FOR
ALL SURFACES



ENVIRONMENTALLY
FRIENDLY



HEAT
RESISTANT



EXCELLENT SURFACE
ADHESION



FIRE-RETARDANT



NON-TOXIC
NO V.O.C.



FUNGI
RETARDANT



PREVENTS
MOISTURE INGRESS



LOW
ODOUR



COLOUR
FASTNESS

COMES IN POWDER FORM FOR
EASY MIXING & APPLICATION.
JUST ADD WATER!




BE KIND TO NATURE

INTERIOR & EXTERIOR

STANDARD COLOURS AVAILABLE

UsLOGRE001-
Cement-Based

WACKER MYLAB,
South Africa
September 2019




Grey




Modern Red



Green




Orange



Brown



Black



White




Yellow

In Addition....

Our Rural Market product
SP Wall & Masonry cement coating

CEMENTITIOUS COATING

Fire Retardant
Economical
Easy Transport
Plaster today Paint tomorrow
No Sealer
18 Months Guarantee



COMMUNITY SAFETY



Any Substrate
No Prep
No VOC
Fire Retardant
Quick Dry
Interior / Exterior Paint
18 Months Guarantee



Why?

Organic and inorganic powders is used that is harvested out of the ground. Nature friendly additives are added to complete the manufacturing process. All colour pigments being used is zero VOC.

No Lead or heavy metals are present. The solvent being used is WATER.



ECOCLEAN INFORMATION SHEET

Is a **highly concentrated** 100 % eco-friendly safe, biodegradable heavy duty degreaser and hydro carbon emulsifier, for use in the industrial, household, hospitality, abattoir, mining, agriculture industries. **ALSO PERFECT AS SANITIZER.**

Also serves as an all-purpose cleaner, and replaces about 90% of cleaning products.

Some examples:

- Washing of Overalls/ PPE/clothes
- Total home/ office cleaning solution
- Workshop floors
- Cleaning of equipment/tools
- Oil spills
- Compliments wash bays/ oil separator
- Total car wash solution(interior/exterior/engine)
- Soot removal
- Carpets/tiles/windows/water stains
- Breaks down fats and greases, use with cold or warm water
- Sanitizer for shower and other places.
- Disinfection of change houses.
- Unblock radiators blocked by using toxic degreasers

All components are Eco-Friendly and non-Hazardous

ECOCLEAN, has been approved by the Department of Water Affairs, for safe discharge into any drain/storm water drain. One of very few products in its class in South Africa to have been approved by (DWAF).

No Chemical without the above approval may be discharged in any drain whatsoever!

ECOCLEAN has one of the best risk and safety ratings in its class

- R36/37/38 on all components

Safety rating of S2

- o Non-Hazardous/ Non corrosive
- o Requires no PPE
- o Contains no Phosphates
- o Contains no Acids/ bleach/ Ammonia/Alcohol
- o Does not contain Nonylphenol 9
- o Contains no VOC's (can be used in confined spaces)/ non-Flammable/ No Flashpoint
- o Contains no carcinogenic properties (cancer causing agent)

Dilution Rates:

- 1:1 Heavy duty cleaning
- 1:4 Medium cleaning
- 1:10 Light cleaning

Most cleaning chemicals, contain a chemical with carcinogenic Properties

- o Does not contain Butyl Oxitol
- o Breaks down all Hydro carbons
- o Easy to apply
- o Not labour intensive Very effective and instantly reacts

APPLICATIONS

Eco Clean is suitable for cleaning the following:

- Washing of Overalls/ PPE/clothes
 - ◆ Spry full concentrate with spry bottle on oil stains as prewash
 - ◆ Add 250ml of the full concentrate to washing machine for full cycle wash.
 - ◆ If the load is less then only add 200ml to the wash
- Change house/ showers / office cleaning solution
 - ◆ Spry showers with full concentrate and leave for 20min then clean off with water.
 - ◆ Spry full concentrate on grout and leave for 20min then clean off with water.
 - ◆ Dilute 1:5 mix for cleaning floors wash as normal floor cleaning
- Workshop floors / Oil spills
 - ◆ Spry full concentrate on oil stains and leave for 25 min
 - ◆ Wash floor with medium hard hair broom
 - ◆ Clean rest od floor with 1:5 mix
- Cleaning of equipment/tools
 - ◆ Spry full concentrate and leave for 20min
 - ◆ Wash equipment of with water
 - ◆ **DO NOT CLEAN ELECTRICAL EQUIPMENT WITH THIS CLEANER**
- Wash bays/ oil separator / Engen cleaner
 - ◆ Apply full concentrate on engine / oil separator / and in wash bay use
 - ◆ Leave for 20 to 25 min wash aria with cloth / broom / high pressure washer
 - ◆ Oil separator apply total aria on top and leave.
 - ◆ The product will dissolve the oil and break down the toxins.
 - ◆ The more it is used on concrete slabs in wash bays the deeper it penetrate to remove oil out of the surface.
- TREATMENT OF DIESEL AND OIL SPILLS ON SOIL
 - ◆ Field tests have shown that diesel and oil that have been spilled on soft soil penetrate the top layer up to a depth of 10-21 cm. Hydrocarbon penetration into soft soil depends on the soil type, soil moisture content and soil density. Total remediation can be accomplished of soil which has been contaminated with oil and diesel without the costly removal of the top layer.



To whom it may concern

Royal Bafokeng Platinum Mine where introduced through BRPM mine standards committee to Eco Wash for the sole purpose to address oil spills, oil contaminated soil and to use as preventive measures for further contamination. The product was commissioned and for about 4 years with great success.

BRPM mine can say it is impressed with the results and the product capability to treat oil spills and contaminated soil.

Our areas of application where at Underground workshops, Surface workshops, Salvage yard old oil bay and bunt walls.

Oil Contaminated Water send to the recycle company that take all the old oil and refurbish and this company made the comment "why do you send us dirty water" after using Eco Wash in bunt wall area during and after rain storms.

BRPM had discussions with DMRE around Eco Wash and the DMRE were satisfied with MSDS sheet

BRPM mine Environmental Manager are satisfied with the results of using this product.

We as BRPM would highly recommend this product to other users.

Kind Regards

Dries Van Zyl
072-0396963





NEXT GENERATION MINE ROOF SUPPORT

ADVANTAGES OF CURRENT INVENTION

- Lighter weight compared to current wooden supports (9kg vs 30kg). Advantage from SHE perspective.
- Smaller diameter than wooden mine roof support (outside diameter of 122mm carries 40 tons) – compare to wooden sticks with diameter of 170mm. Translates into faster and cheaper transport (64 Saltus sticks per cart vs 25 wooden sticks per cart)
- Guaranteed load support – any specific load can be guaranteed up to 40 ton
- Length – Available in any requested length – underground cutting possible and possibly faster
- No flammability issues – phenolic or flame retardant epoxy resin properties
- Rock blast shield can be applied pre or post installation on supports closest to blast face